


# HPS PISTON ACCUMULATORS

HPS type 11 two piece threaded locking ring End Flange -design

Product Name	Max Allowable Pressure / bar	Capacity / litre	Dimensions ID / OD / L	Standard Fluid Port	Weight / KG
--------------	------------------------------	------------------	------------------------	---------------------	-------------



ID Ø 180

PED / SELO					
HPS-11-250-180-0080	250	8	180/200/498	BSP ½"	63.1
HPS-11-250-180-0100	250	10	180/200/577	BSP ½"	66.8
HPS-11-250-180-0120	250	12	180/200/656	BSP ½"	70.5
HPS-11-250-180-0150	250	15	180/200/774	BSP ½"	76.0
HPS-11-250-180-0200	250	20	180/200/971	BSP ½"	85.3
HPS-11-250-180-0250	250	25	180/200/1167	BSP ½"	94.5
HPS-11-250-180-0300	250	30	180/200/1364	BSP ½"	103.7
HPS-11-250-180-0350	250	35	180/200/1561	BSP ½"	112.9
HPS-11-250-180-0400	250	40	180/200/1758	BSP ½"	122.3

ID Ø 200

PED / SELO					
HPS-11-250-200-0080	250	8	200/220/469	R2"	79.8
HPS-11-250-200-0100	250	10	200/220/533	R2"	83.1
HPS-11-250-200-0150	250	15	200/220/692	R2"	91.4
HPS-11-250-200-0200	250	20	200/220/851	R2"	99.6
HPS-11-250-200-0250	250	25	200/220/1010	R2"	107.9
HPS-11-250-200-0300	250	30	200/220/1169	R2"	116.1
HPS-11-250-200-0450	250	45	200/220/1647	R2"	140.9
HPS-11-250-200-0500	250	50	200/220/1806	R2"	149.1

Product Name	Max Allowable Pressure / bar	Capacity / litre	Dimensions ID / OD / L	Standard Fluid Port	Weight / KG
--------------	------------------------------	------------------	------------------------	---------------------	-------------

PED / SELO					
HPS-11-350-200-0080	350	8	200/225/479	R2"	93.2
HPS-11-350-200-0100	350	10	200/225/543	R2"	97.4
HPS-11-350-200-0150	350	15	200/225/702	R2"	107.8
HPS-11-350-200-0200	350	20	200/225/861	R2"	118.3
HPS-11-350-200-0250	350	25	200/225/1020	R2"	128.7
HPS-11-350-200-0300	350	30	200/225/1179	R2"	139.1
HPS-11-350-200-0450	350	45	200/225/1657	R2"	170.4
HPS-11-350-200-0500	350	50	200/225/1816	R2"	180.9

PED / SELO					
HPS-11-415-200-0080	415	8	200/230/489	R2"	103.3
HPS-11-415-200-0100	415	10	200/230/553	R2"	108.4
HPS-11-415-200-0150	415	15	200/230/712	R2"	121.1
HPS-11-415-200-0200	415	20	200/230/871	R2"	133.7
HPS-11-415-200-0250	415	25	200/230/1030	R2"	146.4
HPS-11-415-200-0300	415	30	200/230/1189	R2"	159.1
HPS-11-415-200-0450	415	45	200/230/1667	R2"	197.1
HPS-11-415-200-0500	415	50	200/230/1826	R2"	209.7

ID Ø 250

PED / SELO					
HPS-11-250-250-0400	250	40	250/300/1038	R2"	274.5
HPS-11-250-250-0500	250	50	250/300/1242	R2"	309.0
HPS-11-250-250-0600	250	60	250/300/1446	R2"	343.0
HPS-11-250-250-0700	250	70	250/300/1649	R2"	378.0
HPS-11-250-250-0800	250	80	250/300/1853	R2"	412.0

PED / SELO					
HPS-11-350-250-0400	350	40	250/300/1068	R2"	293.0
HPS-11-350-250-0500	350	50	250/300/1272	R2"	328.0
HPS-11-350-250-0600	350	60	250/300/1476	R2"	362.0
HPS-11-350-250-0700	350	70	250/300/1679	R2"	397.0
HPS-11-350-250-0800	350	80	250/300/1883	R2"	431.0

Product Name	Max Allowable Pressure / bar	Capacity / litre	Dimensions ID / OD / L	Standard Fluid Port	Weight / KG
--------------	------------------------------	------------------	------------------------	---------------------	-------------

PED / SELO					
HPS-11-415-250-0400	415	40	250/300/1068	R2"	294.0
HPS-11-415-250-0500	415	50	250/300/1272	R2"	328.0
HPS-11-415-250-0600	415	60	250/300/1476	R2"	363.0
HPS-11-415-250-0700	415	70	250/300/1679	R2"	397.0
HPS-11-415-250-0800	415	80	250/300/1883	R2"	432.0